# Recombinant SARS-COV-2 Spike S1+S2 ECD(S-ECD) **Protein**

Catalog No.: RP01260LQ Recombinant 4 Publications

# Sequence Information

Gene ID **Swiss Prot** Species HEK293 cells 43740568

Tags C-His

## **Synonyms**

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

## **Product Information**

Source	Purification
HEK293 cells	>97% by SDS-
	PAGE.

#### Endotoxin

< 0.1 EU/µg of the protein by LAL method.

#### Formulation

Supplied as a 0.22 µm filtered solution in PBS, pH 7.4. Contact us for customized product form or formulation.

## Reconstitution

## Background

The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates thisinteraction. The S protein plays key parts in the induction of neutralizing-antibody and T-cellresponses, as well as protective immunity.

## **Basic Information**

## Description

Recombinant SARS-COV-2 Spike S1+S2 ECD(S-ECD) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val11-Gln1208) of SARS-COV-2(2019-nCoV) S1+S2 ECD (S-ECD) (Accession #YP\_009724390.1) fused with a 6×His tag at the C-terminus.

## **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized Recombinant SARS-CoV-2 Spike S1+S2 ECD-His at 2 µg/mL (100 µL/well) can bind Recombinant Human ACE2 with a linear range of 0.15-9.92 ng/mL.

#### Storage


Store at -70°C. This product is stable at  $\leq$  -70°C for up to 1 year from the date of receipt. For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature. Avoid repeated freeze-thaw cycles. Avoid repeated freeze/thaw cycles.

## Contact


Ð www.abclonal.com

ABclomal www.abclonal.com

## Validation Data



Recombinant SARS-COV-2 S1+S2 ECD (S-ECD) Protein with His tag was determined by SDS-PAGE with Coomassie Blue, showing bands around 80,110,180 kDa.



Immobilized Recombinant SARS-COV-2 Spike S1+S2 ECD-His at 2µg/mL (100 µL/well) can bind Recombinant Human ACE2 with a linear range of 0.15-9.92 ng/mL.